

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
12 July 2001 (12.07.2001)

PCT

(10) International Publication Number
WO 01/50653 A1

(51) International Patent Classification⁷: **H04H 7/00**,
1/02, G06F 17/60

(21) International Application Number: PCT/US00/16414

(22) International Filing Date: 14 June 2000 (14.06.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/478,023 5 January 2000 (05.01.2000) US

(71) Applicant (for all designated States except US): **GEODE ELECTRONICS LLC** [US/US]; Suite 155, 500 International Drive, Mount Olive, NJ 07828 (US).

(71) Applicants and

(72) Inventors: **EMERSON, Harry, E., III** [US/US]; 41

Karen Place, Budd Lake, NJ 07828 (US). **GRYWALSKI, William, A.** [US/US]; 77 Lozier Road, Budd Lake, NJ 07828 (US). **LEBOW, Gerald, M.** [US/US]; 108 Westlake Drive, Valhalla, NY 10595 (US).


(74) Agent: **BUFF, Ernest, D.**; Ernest D. Buff & Associates, LLC, 245 South Street, Morristown, NJ 07960 (US).

(81) Designated States (*national*): AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,

[Continued on next page]

(54) Title: METHOD FOR SUBSTITUTING AND DEMOGRAPHICALLY TARGETING COMMERCIALS IN AN INTERNET RADIO BROADCASTING SYSTEM



(57) Abstract: A radio station transmits its broadcast audio content, including audible advertisements, to listeners over the Internet via an Internet Hosting Service that provides listener access to radio station content. A computing system at the radio station digitizes the audio and supplies marking information that identifies the beginning and duration of commercials. The digital marking information is supplied with the radio station's audio to the Internet Hosting Service. The Internet Hosting Service maintains a repository of replacement audio commercials along with information about the commercials including duration. Upon receiving the digital marker indicating the presence of a commercial, the Internet Hosting Service selects a replacement commercial of comparable duration from its repository. The Internet Hosting Service then substitutes the replacement commercial for the original broadcast commercial and produces an edited audio program for delivery to the listeners that carries advertising of higher value than the original advertising.

BEST AVAILABLE COPY

WO 01/50653 A1



IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

— *With international search report.*

METHOD FOR SUBSTITUTING AND DEMOGRAPHICALLY TARGETING COMMERCIALS IN AN INTERNET RADIO BROADCASTING SYSTEM

CROSS REFERENCE TO RELATED APPLICATIONS

5 This application claims the benefit of United States Provisional Patent Application No. 60/119,443, filed February 10, 1999 entitled "System For Modifying And Targeting Advertising Content of Internet Radio Broadcasts".

BACKGROUND OF THE INVENTION

10 1. Field of the Invention:

The present invention relates to a method for substituting replacement commercial advertisements in place of original broadcast commercials for radio programs broadcast via the Internet.

2. Description of the Prior Art

15 Advertising is the primary mechanism by which producers of products and services capture the attention of potential consumers. In today's global marketplace of chaos and dislocation, the need for advertising has never been greater. Traditionally, mass advertising occurs by way of mass distribution through television, radio, newspapers and the like. Usually, advertisers prescribe the media content and pay for the mass distribution thereof.

20 In some instances, the consumer subsumes a portion of the costs of the advertisements, as for example, by paying for a newspaper subscription. The advent of computer-driven technology, and especially the Internet, has rendered traditional advertising methods obsolete.

The Internet is a system of linked computers that provides for global information exchange and includes innumerable sites, each of which presents advertising, research and other information about a particular organization. Many organizations now rely on the Internet to obtain and transmit crucial and, oftentimes, sensitive information. Thus, the Internet has quickly become one of the most effective means by which an organization can globally advertise its goods and services.

It is now possible to listen to radio programs with a personal computer or other device capable of receiving audio data via the Internet. This is because it is becoming common for a regular broadcast radio station to make their programs available via the Internet. Internet radio programs originate from many different regions of the world. As a result, they are frequently sprinkled with commercial advertisements that are targeted to the region from which the program originated. A commercial for an automobile dealer in Lisbon is of little value to an Internet listener in Philadelphia. On the other hand, an Internet Hosting Service providing radio station content to the listener would benefit by substituting commercials of advertisers interested in reaching such listeners. The original commercials provide no benefit to the original radio station or advertisers, nor to the listener, nor are they a source of revenue for a business organization such as an Internet Hosting Service which presents radio stations on the Internet.

There remains a need in the art for an effective way to substitute replacement commercials for original broadcast commercials in radio programs transmitted via the Internet.

SUMMARY OF THE INVENTION

In accordance with the present invention, there is provided a method for substituting replacement commercial advertisements in place of original broadcast

commercials for radio programs broadcast via the Internet. Generally stated, the method enables (a) generating a plurality of replacement radio commercials of various predetermined time lengths, whereby each replacement radio commercial has an associated time length; (b) digitizing the replacement radio commercials and the associated time lengths; (c) storing in an array the digitized replacement radio commercials and the associated time lengths, the array being stored by an Internet Hosting Service; (d) marking each of the broadcast radio commercials with a digital marker by the radio station, the digital marker indicating the start and duration time of the broadcast radio commercial within the Internet radio program; (e) transmitting the marked Internet radio program to the Internet Hosting Service; (f) receiving of the marked Internet radio program by the Internet Hosting Service; (g) detecting a digital marker of a commercial on the received Internet radio program; (h) reading the duration time of the received commercial from the detected digital marker; (i) comparing the read duration time with the associated time lengths stored in the array; (j) selecting from the array a digitized replacement radio commercial having an associated time length equal to the read duration time; (k) substituting the selected digitized replacement radio commercial in place of the broadcast commercial; and (l) repeating steps (g) through (k) until the end of the Internet radio program, whereby the listener of the Internet radio program receives an edited program having one or more replacement radio commercials substituted in place of the broadcast radio commercials.

Further, the invention provides a system for substituting broadcast commercials of an Internet radio program, with replacement commercials, comprising: (a) radio station means for marking the broadcast commercials of the Internet radio program

with a mark, the mark indicating the start and time duration of the broadcast commercial; (b) input computer server means of an Internet Hosting Service for receiving the marked Internet radio program; (c) commercial storage means for storing a plurality of digitized replacement audio commercials; (d) central processor means for selecting one of the digitized replacement audio commercials from the commercial storage means; (e) marker decoder means for decoding the mark, the mark being supplied to the central processor; (f) digital audio processor means for generating an edited radio program by substituting the selected digitized replacement audio commercial in place of the broadcast commercial; and (g) output computer server means for transmitting the edited radio program to a user.

Optionally, the invention provides a system wherein the commercial storage means further stores commercial type and a user profile storage means stores individual user ID and user demographics, whereby the central processor employs the user ID to match the user demographics to the commercial type for selecting a commercial targeted to the user.

Also optionally, as the audio content emanating from the radio station is digitized, it is placed into data packets each bearing a sequential serial number. The digitizing mark that is created to identify the presence of a commercial is embedded with the serial numbers of the audio packets constituting the beginning and the duration of the commercial. The Internet Hosting Service, upon receiving the audio stream from the radio station in serialized packet format, along with the marking information stream containing the serial numbers of the packets containing audio commercials, can precisely remove the audio broadcast commercial and

substitute it with a replacement commercial with no audible artifacts suggesting to the listener that such replacement has taken place.

Conveniently, a large percentage of radio stations utilize a computer system rather than tapes or CD's for the origination of the majority of their audio content, including music and commercials. Such systems, referred to generally as "broadcast automation systems" or "live assist systems" actually play the audio for the music or the commercial. A broadcast automation system maintains a listing of all audio events that the station plans to broadcast, including critical information of each event such as event type and duration. It can signal the precise beginning and ending of each event, and can transmit the identifying data associated with each event to an external system such as an Internet Hosting Service. Broadcast automation systems, having the capabilities listed above, facilitate the implementation of advertising replacements as described herein.

Advantageously, the method of the present invention permits an Internet Hosting Service to substitute local advertisements in place of originally broadcast advertisements in radio programs broadcast via the Internet. The invention enables the Internet Hosting Service to generate additional revenues and to target advertisements to its customers. Customers are provided with increased opportunity to receive information concerning services or products more attuned to their needs.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention will be more fully understood and further advantages will become apparent when reference is made to the following detailed description and the accompanying drawings, in which:

FIG. 1 is a block diagram representing the modification of advertisements during the flow of an Internet radio program from the program originator to the listener;

FIG. 2 schematically depicts a radio program segment containing commercials and marker; and

FIG. 3 is a block diagram of a system for substituting local radio commercials in place of broadcast Internet radio commercials.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

In accordance with the present invention, there is provided a method for substituting replacement commercial advertisements in place of original broadcast commercials for radio programs broadcast via the Internet. Internet radio programs originate from many different regions of the world. As a result, they are frequently sprinkled with commercial advertisements that are targeted to the region from which the program originated. A commercial for an automobile dealer in Lisbon is of little value to an Internet listener in Philadelphia. On the other hand, an Internet Hosting Service providing Internet radio station access to the listener would benefit by substituting commercials of advertisers interested in reaching such listeners.

The invention provides a method for substituting replacement radio commercials in place of broadcast radio commercials by an Internet Hosting Service. In practice, each commercial is marked by the radio station with a digital marker that indicates the start and length of each commercial in the program broadcast. When the program is received by the Internet Hosting Service, each commercial is identified by its marker and a replacement commercial of the appropriate length is selected from a list of commercials kept by the Internet

Hosting Service and substituted in place of the original commercial. The Internet Hosting Service may be any type of service which has the ability to receive communications from a radio station. That is to say, the Internet Hosting Service may be a private communications entity, a broadcasting network data center, a service provider or the like. In one embodiment, the Internet Hosting Service may comprise the same entity as an Internet service provider.

As illustrated by Figs.1 and 2 of the drawings, marked Internet radio programs 12 from a plurality of program originators 10 are sent to hosting service 13 via the Internet. The arrows in Fig. 1 indicate transfers, including Internet transfers. These Internet radio programs have broadcast radio commercials as part of their content. Ad marking systems 11, which may be broadcast automation systems of the radio stations, introduce digital markings to accompany the audio content indicating the beginning and duration of audio ads in the audio stream. Further, ad marking systems 11 may digitize the radio station audio content into packets bearing sequential serial numbers, and the digital markings which indicate the beginning and end of audio ads may relate such beginnings and endings to audio packet serial numbers. Hosting service 13 receives the marked audio stream wherein the audio may be music interleaved with commercials, and the markings may be digital data packets indicating the beginning and ending of commercials within that audio stream. Hosting service 13 maintains a database of replacement audio ads 14 encompassing the ads and associated data describing each ad such as duration and the desired user demographics that the advertiser would like to reach. Hosting service 13 replaces audio ads emanating from the radio station program originator 10 with replacement ads of equivalent duration drawn from replacement

ad database 14, in the process creating an edited Internet radio program 16. The resolution of the Ad Marking System 11 in digitizing the audio stream into serialized packets enables the creation of edited Internet radio programs 16 which are absent of audible artifacts to indicate that ad substitution has taken place.

5 Edited Internet radio programs 16 are delivered to listeners 19 via the Internet Service Providers 17 which provide Internet access to the listeners 19. Listeners 19 listen to the Internet radio stations from program originators 10, hearing different ads from those who might contemporaneously listen to the radio station's over-the-air broadcast with a conventional radio. Optionally, the hosting service 13 may

10 examine the desired user demographics associated with replacement ads 14 and match them against the user demographic database 15 comprised of demographic information about listeners 19. If listeners 19 have differing demographics, the edited Internet radio programs 16 may be unique for each demographic type of listener 19 who may be listening to the same Internet radio station. That is, males

15 listening to Internet radio station WXYZ may receive a different edited Internet radio program 16 from females listening to the same station.

The method for substituting replacement radio commercials in place of a plurality of broadcast radio commercials on an Internet radio program transmitted by a hosting service 13 to a listener 19 via an Internet service provider 17

20 comprises the steps of: (a) generating a plurality of replacement radio commercials of various predetermined time lengths, whereby each replacement radio commercial has an associated time length; (b) digitizing the replacement radio commercials and the associated time lengths; (c) storing in an array the digitized replacement radio commercials and the associated time lengths, the array being stored by the Internet

Hosting Service 13; (d) marking each of the broadcast radio commercials with a digital marker by the ad marking system 11, the digital marker indicating the start and duration time of the broadcast radio commercial within the Internet radio program 12; (e) transmitting the marked Internet radio program 12 to the Internet
5 Hosting Service 13; (f) receiving the marked Internet radio program 12 by the Internet Hosting Service 13; (g) examining the marked Internet radio program 12 by the Internet Hosting Service 13; (h) detecting a digital marker of a commercial on the marked Internet radio program 12; (i) reading the duration time of the commercial from the detected digital marker; (j) comparing the read duration time
10 with the associated time lengths stored in the array; (k) selecting from the array a digitized replacement radio commercial having an associated time length equal to the read duration time; (l) substituting the selected digitized replacement radio commercial in place of the commercial; and (m) repeating steps (h) through (l) until the end of the Internet radio program.

15 A segment of Internet radio program 20 starts at 21 and ends at 29. Segment 20 is comprised of program elements 22 and commercials 24, 26, 28 of differing time durations. The hosting service 13 or the program originator 10 is provided with a means for marking the beginning of each commercial with marker 31. Marker 31 comprises a start indicator and a time duration of commercials 24, 26
20 and 28. The marking means can take any number of methods known in the art, such as putting a digital pulse-modulated inaudible tone on a subcarrier of the audio wave. Alternatively, marking the start and time duration of the commercial is accomplished by adding a digital marker information packet to the audio data stream.

Fig. 3 illustrates the system used by Internet Hosting Service 13 for reading marked Internet radio program 12 received from program originator 10. Internet Hosting Service 13 maintains commercial storage means 14. Commercial storage means 14 comprises a database of digitized radio commercials of various predetermined time lengths along with each commercial's time length. Commercial storage means 14 is used to supply an appropriate duration commercial on demand. Preferably, Internet Hosting Service 13 also maintains user profile array 15. This array comprises user ID and demographic information, whereby the demographic information may be used to target specific commercials to specific users.

Advantageously, the method of the present invention permits an Internet Hosting Service to substitute replacement advertisements in place of originally broadcast advertisements in radio programs broadcast via the Internet. The invention enables the Internet Hosting Service to generate additional revenues and to target advertisements to its customers.

In practice, radio station program originator 10 sends broadcast audio to ad marking system 11, and then transmits marked Internet radio program 12 via the Internet to Internet Hosting Service input server 40 of Internet Hosting Service 13. Marked Internet radio program is sent as data stream 12a to marker decoder 48. Marker decoder 48 reads marker 31 and decodes time duration 32. Internet radio program data stream 12b and time duration 32 are passed to central processor 46. Central processor 46 uses time duration 32 to find an equal length substitute commercial from commercial storage means 14. The selected commercial is returned to central processor 46 as replacement commercial audio stream 38. Central processor 46 substitutes replacement commercial audio stream 38 for the

original commercial resulting in edited program 16. Edited program 16 is passed to Internet Hosting Service output server 52 and then sent via Internet through the Internet Service Provider 17 to the user, listener 19.

Optionally, the system further comprises user profile storage means 15, where demographics of each user are stored along with the user's ID number. User ID 35, obtained from output server 52, is also passed to central processor 46 and to user profile storage means 15. In this manner, the system is provided with means for selecting a commercial targeted for a specific user or type of user.

The invention provides a system for substituting broadcast commercials of an Internet radio program, with replacement commercials, comprising: (a) radio station means for marking the broadcast commercials of the Internet radio program with a mark, the mark indicating the start and time duration of the broadcast commercial; (b) input server means for receiving the marked Internet radio program; (c) commercial storage means for storing a plurality of digitized radio commercials; (d) central processor means for selecting one of the digitized radio commercials from the commercial storage means; (e) marker decoder means for decoding the mark, the mark being supplied to the central processor; (f) central processor mixing means for generating an edited radio program by substituting the selected digitized radio commercial in place of the broadcast commercial; and (g) output server for transmitting the edited radio program to a user.

Optionally, the invention provides a system wherein the commercial storage means further stores commercial type and a user profile storage means stores individual user ID and user demographics, whereby the central processor employs

the user ID to match the user demographics to the commercial type for selecting a commercial targeted for a specific user or type of user.

Having thus described the invention in rather full detail, it will be understood that such detail need not be strictly adhered to but that various changes and modifications may suggest themselves to one skilled in the art, all falling within the scope of the present invention as defined by subjoined claims.

CLAIMS

What is claimed is:

1. A method for substituting replacement radio commercials in place of a plurality of broadcast radio commercials on an Internet radio program broadcast by a radio station to an Internet Hosting Service, comprising the steps of:
 - (a) generating a plurality of replacement radio commercials of various predetermined time lengths, whereby each replacement radio commercial has an associated time length;
 - (b) digitizing said replacement radio commercials and said associated time lengths;
 - 10 (c) storing in an array said digitized replacement radio commercials and said associated time lengths, said array stored at said Internet Hosting Service;
 - (d) marking each of said broadcast radio commercials with a digital marker by said radio station, said digital marker indicating the start and duration time of said broadcast radio commercial within said Internet radio program;
 - 15 (e) transmitting said marked Internet radio program to said Internet Hosting Service;
 - (f) receiving of said marked Internet radio program by said Internet Hosting Service;
 - (g) examining of said marked Internet radio program by said Internet Hosting
20 Service;
 - (h) detecting a digital marker of a commercial on said received Internet broadcast program;
 - (i) reading the duration time, of said commercial, from said detected digital marker;

(j) comparing said read duration time with said associated time lengths stored in said array;

(k) selecting from said array a digitized replacement radio commercial having an associated time length equal to said read duration time;

5 (l) substituting said selected digitized replacement radio commercial in place of said broadcast commercial; and

(m) repeating steps (h) through (l) until the end of said Internet radio program, whereby the listener of said Internet radio program receives an edited program having one or more replacement radio commercials substituted in place of said
10 broadcast radio commercials.

2. A method as recited in claim 1 wherein said marking is performed by a radio station computer system, such as a broadcast automation system.

15 3. A method as recited in claim 2 wherein the audio stream of the radio station is digitized into packets bearing sequential serial numbers, and said marking of broadcast commercials by marking the start time and duration of the commercial identifies the audio packet serial numbers constituting the beginning and duration of the audio commercial to be replaced.

20 4. A method as recited in claim 1 wherein the Internet Hosting Service maintains commercial type information for targeting ads to consumers, and user demographic information, and matches said user demographics to said commercial type for selecting a commercial targeted to said user.

5. A method as recited in claim 2 wherein the Internet Hosting Service maintains commercial type information for targeting ads to consumers, and user demographic information, and matches said user demographics to said commercial type for selecting a commercial targeted to said user.

6. A method as recited in claim 3 wherein the Internet Hosting Service maintains commercial type information for targeting ads to consumers, and user demographic information, and matches said user demographics to said commercial type for selecting a commercial targeted to said user.

7. A system for substituting broadcast commercials of an Internet radio program, with replacement commercials, comprising:

(a) radio station means for marking said broadcast commercials of said Internet radio program with a mark, said mark indicating the start and time duration of said broadcast commercial;

(b) input server means for receiving said marked Internet radio program by an Internet Hosting Service;

(c) commercial storage means of said Internet Hosting Service for storing a plurality of digitized radio commercials;

(d) central processor means for selecting one of said digitized radio commercials from said commercial storage means;

(e) marker decoder means for decoding said mark, said mark being supplied to said central processor;

(f) central processor mixing means for generating an edited radio program by substituting said selected digitized radio commercial in place of said broadcast commercial; and

(g) output server means for transmitting said edited radio program to a user.

5

8. A system as recited by claim 7 wherein said commercial storage means further stores commercial type.

9. A system as recited by claim 7 further comprising user profile storage means
10 for storing individual user ID and user demographics, whereby said central processor employs said user ID to match said user demographics to said commercial type for selecting a commercial targeted to said user.




FIG 1

2/3




FIG. 2

3/3




FIG. 3

INTERNATIONAL SEARCH REPORT

Internat Application No

PCT/US 00/16414

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 H04H7/00 H04H1/02 G06F17/60

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04H G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, INSPEC, COMPENDEX

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 97 49241 A (BEN MOSHE GIL ;ANTMAN AMNON (IL)) 24 December 1997 (1997-12-24)	1,7,8
Y	the whole document	2-6,9
Y	EP 0 751 640 A (DIGITAL EQUIPMENT INT) 2 January 1997 (1997-01-02) column 5, line 1-29 column 6, line 25 -column 7, line 54; claims 1,2,4-9; figures 1,3-5	2,3,5,6
Y	US 5 933 811 A (ANGLES PAUL D ET AL) 3 August 1999 (1999-08-03) column 2, line 45 -column 4, line 47 column 7, line 45 -column 8, line 67 column 15, line 17-24 column 20, line 58-61 column 21, line 15-60; claims 1-17; figures 1-11	4,9
	--- -/-	

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

S document member of the same patent family

Date of the actual completion of the international search

23 November 2000

Date of mailing of the international search report

04/12/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Pantelakis, P

INTERNATIONAL SEARCH REPORT

Inter , Application No
PCT/US 00/16414

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 847 156 A (WOLFE ROBERT L) 10 June 1998 (1998-06-10) the whole document ---	1,4,7-9
A	EP 0 424 648 A (GEN INSTRUMENT CORP) 2 May 1991 (1991-05-02) column 8, line 3-47 column 9, line 8-47 column 11, line 20 -column 13, line 27; claims 1,5-10,13,15,16,20-22,26,27; figures 3,5 ---	1,7
E	US 6 112 192 A (CAPEK PETER GEORGE) 29 August 2000 (2000-08-29) the whole document -----	1,2,4,5, 7-9

INTERNATIONAL SEARCH REPORT

Information on patent family members

Internat. Application No

PCT/US 00/16414

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9749241	A	24-12-1997	NONE	
EP 0751640	A	02-01-1997	US 5652615 A AU 716254 B AU 5220796 A CN 1143299 A JP 2974614 B JP 9027789 A	29-07-1997 24-02-2000 09-01-1997 19-02-1997 10-11-1999 28-01-1997
US 5933811	A	03-08-1999	NONE	
EP 0847156	A	10-06-1998	US 5931901 A US 6038591 A	03-08-1999 14-03-2000
EP 0424648	A	02-05-1991	US 5155591 A CA 2024868 A DE 69027276 D DE 69027276 T DK 424648 T HK 1008412 A	13-10-1992 24-04-1991 11-07-1996 23-01-1997 21-10-1996 07-05-1999
US 6112192	A	29-08-2000	NONE	

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)